



Liyu International Factory
No.33,TianZhi Road,High and New tech.Development
Area Hefei Anhui China 230088
www.liyuprinter.com

Liyu International Europe Showroom
Susuz Mahallesi Dempa Sanayi Sitesi 3793.
Cadde No: 34, 06105 Yenimahalle/Ankara/Turkey
www.cmykreklam.com


"All technical details in this catalog are subject to change by Liyu"

Liyu International Europe Showroom
Diessemer Bruch 100 b-c, 47805 Krefeld, Germany
www.liyuprinter.com
+49 173 3721905

Xline KCC UV FLAT



DESIGN
NEW
VISION



RICOH



Technical Specifications

Baskı Kafaları	Ricoh Gen5/Gen6
Maksimum Kafa Sayısı	10 (Max.)
Damla Hacmi	Gen5 - 7 Pl. / Gen6 - 5 Pl.
Renk Skalası	CMYK + White + Lc + Lm + Varnish
Boya Tipi	UV - LED
Kurutma Sistemi	LED
Tabla Ölçüleri	2500 mm x 1250 mm / 3050 mm x 2050 mm
Baskı Yüksekliği	100 mm
Baskı Çözünürlüğü	2400 dpi
Baskı Hızı Maksimum	68m2/h
Rip Yazılımı	PhotoPrint / Caldera (Opt.)
Güç Gereksinimi	230v (+/-) 10% 40A / 50HZ
Makine Ölçüleri 2512	2200 mm x 5220 mm x 1530 mm
Makine Ölçüleri 3020	3000 mm x 5800 mm x 1530 mm
Makine Ağırlığı	1370 - 2500 kg.